



## Technical Data Sheet (TDS) Rev. 1.00

### PROKLEAR WASPR Hard Water Mark Remover Concentrate

Product Name: PROKLEAR WASPR Hard Water Mark Remover Concentrate

PROKLEAR WASPR Hard Water Mark Remover Concentrate is a powerful solution that effectively removes hard water spots from various surfaces. It can be used on different materials such as glass, paint, chrome, and emblems. Dilute the concentrate according to the severity of the water spots and apply it using a spray bottle or applicator pad. The solution quickly dissolves the spots, restoring the shine and cleanliness of the surfaces. Rinse the surface thoroughly and wipe away the solution, and if desired, dry and polish for an enhanced finish.

With PROKLEAR WASPR, you can easily and safely remove hard water marks from different surfaces, ensuring they look their best.

Product Name: PROKLEAR WASPR Hard Water Mark Remover Concentrate Product Code: WASPR-001 Form: Liquid concentrate

#### Properties:

- Appearance: Clear liquid
- Odor: Mild, characteristic odor
- pH (diluted): 2.0 - 3.0
- Specific Gravity (diluted): 1.02 - 1.05

#### Storage:

- Store in a cool, dry place away from direct sunlight.



## Technical Data Sheet (TDS) Rev. 1.00

### PROKLEAR WASPR Hard Water Mark Remover Concentrate

Dilution Ratio:

Severity of Water Spots	Dilution Ratio
Light water spots	1 part concentrate to 10 parts water
Moderate water spots	1 part concentrate to 5 parts water
Heavy water spots	1 part concentrate to 2 parts water

Application Method: Spray, wipe and rinse

Recommended Usage:

1. Dilution: Dilute PROKLEAR WASPR concentrate with water according to the severity of the water spots.
2. Surface Preparation: Ensure the surface to be treated is cool and in a well-ventilated area.
3. Application: Apply the diluted solution to the affected area using a spray bottle or applicator pad.
4. Dwell Time: Allow the solution to dwell on the surface for 1-2 minutes, ensuring it does not dry.



## Technical Data Sheet (TDS) Rev. 1.00

### PROKLEAR WASPR Hard Water Mark Remover Concentrate

5. Agitation (if necessary): For stubborn spots, agitate the area gently with a soft brush or sponge.
6. Rinse or Wipe: Rinse the surface thoroughly with water and wipe away the solution using a clean cloth or sponge.
7. Dry and Polish (optional): After removing the water spots, dry the surface with a clean, lint-free cloth and polish if desired for an enhanced finish.

Note: It is recommended to test PROKLEAR WASPR on a small, inconspicuous area before full application to ensure compatibility with the surface.

#### Safety Precautions:

- Avoid contact with eyes. In case of eye contact, rinse thoroughly with water and seek medical attention if irritation persists.
- Keep out of reach of children.
- Refer to the Safety Data Sheet (SDS) for detailed safety information.